

Contents

| | |
|-----------------|------|
| Preface | xvii |
| Acknowledgments | xix |

CHAPTER 1

| | |
|--------------------------------------|----|
| Introduction | 1 |
| 1.1 Fundamental Concepts | 1 |
| 1.2 Dead Reckoning | 5 |
| 1.3 Position Fixing | 7 |
| 1.3.1 Position-Fixing Methods | 7 |
| 1.3.2 Signal-Based Positioning | 12 |
| 1.3.3 Environmental Feature Matching | 14 |
| 1.4 The Navigation System | 15 |
| 1.4.1 Requirements | 16 |
| 1.4.2 Context | 17 |
| 1.4.3 Integration | 18 |
| 1.4.4 Aiding | 18 |
| 1.4.5 Assistance and Cooperation | 19 |
| 1.4.6 Fault Detection | 20 |
| 1.5 Overview of the Book | 20 |
| References | 22 |

CHAPTER 2

| | |
|--|----|
| Coordinate Frames, Kinematics, and the Earth | 23 |
| 2.1 Coordinate Frames | 23 |
| 2.1.1 Earth-Centered Inertial Frame | 25 |
| 2.1.2 Earth-Centered Earth-Fixed Frame | 26 |
| 2.1.3 Local Navigation Frame | 27 |
| 2.1.4 Local Tangent-Plane Frame | 28 |
| 2.1.5 Body Frame | 28 |
| 2.1.6 Other Frames | 29 |
| 2.2 Attitude, Rotation, and Resolving Axes Transformations | 30 |
| 2.2.1 Euler Attitude | 33 |
| 2.2.2 Coordinate Transformation Matrix | 35 |
| 2.2.3 Quaternion Attitude | 40 |
| 2.2.4 Rotation Vector | 42 |
| 2.3 Kinematics | 43 |

| | | |
|-------|---|----|
| 2.3.1 | Angular Rate | 44 |
| 2.3.2 | Cartesian Position | 46 |
| 2.3.3 | Velocity | 48 |
| 2.3.4 | Acceleration | 50 |
| 2.3.5 | Motion with Respect to a Rotating Reference Frame | 51 |
| 2.4 | Earth Surface and Gravity Models | 53 |
| 2.4.1 | The Ellipsoid Model of the Earth's Surface | 54 |
| 2.4.2 | Curvilinear Position | 57 |
| 2.4.3 | Position Conversion | 61 |
| 2.4.4 | The Geoid, Orthometric Height, and Earth Tides | 64 |
| 2.4.5 | Projected Coordinates | 65 |
| 2.4.6 | Earth Rotation | 66 |
| 2.4.7 | Specific Force, Gravitation, and Gravity | 67 |
| 2.5 | Frame Transformations | 72 |
| 2.5.1 | Inertial and Earth Frames | 73 |
| 2.5.2 | Earth and Local Navigation Frames | 74 |
| 2.5.3 | Inertial and Local Navigation Frames | 75 |
| 2.5.4 | Earth and Local Tangent-Plane Frames | 76 |
| 2.5.5 | Transposition of Navigation Solutions | 77 |
| | References | 78 |

CHAPTER 3

| | | |
|-------|--|-----|
| | Kalman Filter-Based Estimation | 81 |
| 3.1 | Introduction | 82 |
| 3.1.1 | Elements of the Kalman Filter | 82 |
| 3.1.2 | Steps of the Kalman Filter | 84 |
| 3.1.3 | Kalman Filter Applications | 86 |
| 3.2 | Algorithms and Models | 87 |
| 3.2.1 | Definitions | 87 |
| 3.2.2 | Kalman Filter Algorithm | 91 |
| 3.2.3 | System Model | 96 |
| 3.2.4 | Measurement Model | 100 |
| 3.2.5 | Kalman Filter Behavior and State Observability | 103 |
| 3.2.6 | Closed-Loop Kalman Filter | 106 |
| 3.2.7 | Sequential Measurement Update | 107 |
| 3.3 | Implementation Issues | 109 |
| 3.3.1 | Tuning and Stability | 109 |
| 3.3.2 | Algorithm Design | 111 |
| 3.3.3 | Numerical Issues | 113 |
| 3.3.4 | Time Synchronization | 114 |
| 3.3.5 | Kalman Filter Design Process | 117 |
| 3.4 | Extensions to the Kalman Filter | 117 |
| 3.4.1 | Extended and Linearized Kalman Filter | 118 |
| 3.4.2 | Unscented Kalman Filter | 121 |
| 3.4.3 | Time-Correlated Noise | 123 |
| 3.4.4 | Adaptive Kalman Filter | 124 |

| | | |
|-------|-------------------------------|-----|
| 3.4.5 | Multiple-Hypothesis Filtering | 125 |
| 3.4.6 | Kalman Smoothing | 129 |
| 3.5 | The Particle Filter | 131 |
| | References | 135 |

CHAPTER 4

| | | |
|-------|--|-----|
| | Inertial Sensors | 137 |
| 4.1 | Accelerometers | 139 |
| 4.1.1 | Pendulous Accelerometers | 140 |
| 4.1.2 | Vibrating-Beam Accelerometers | 142 |
| 4.2 | Gyroscopes | 142 |
| 4.2.1 | Optical Gyroscopes | 143 |
| 4.2.2 | Vibratory Gyroscopes | 146 |
| 4.3 | Inertial Measurement Units | 149 |
| 4.4 | Error Characteristics | 151 |
| 4.4.1 | Biases | 152 |
| 4.4.2 | Scale Factor and Cross-Coupling Errors | 154 |
| 4.4.3 | Random Noise | 155 |
| 4.4.4 | Further Error Sources | 157 |
| 4.4.5 | Vibration-Induced Errors | 159 |
| 4.4.6 | Error Models | 160 |
| | References | 161 |

CHAPTER 5

| | | |
|-------|---|-----|
| | Inertial Navigation | 163 |
| 5.1 | Introduction to Inertial Navigation | 164 |
| 5.2 | Inertial-Frame Navigation Equations | 168 |
| 5.2.1 | Attitude Update | 168 |
| 5.2.2 | Specific-Force Frame Transformation | 170 |
| 5.2.3 | Velocity Update | 171 |
| 5.2.4 | Position Update | 172 |
| 5.3 | Earth-Frame Navigation Equations | 172 |
| 5.3.1 | Attitude Update | 173 |
| 5.3.2 | Specific-Force Frame Transformation | 174 |
| 5.3.3 | Velocity Update | 174 |
| 5.3.4 | Position Update | 175 |
| 5.4 | Local-Navigation-Frame Navigation Equations | 176 |
| 5.4.1 | Attitude Update | 176 |
| 5.4.2 | Specific-Force Frame Transformation | 178 |
| 5.4.3 | Velocity Update | 179 |
| 5.4.4 | Position Update | 179 |
| 5.4.5 | Wander-Azimuth Implementation | 180 |
| 5.5 | Navigation Equations Optimization | 183 |
| 5.5.1 | Precision Attitude Update | 183 |
| 5.5.2 | Precision Specific-Force Frame Transformation | 187 |
| 5.5.3 | Precision Velocity and Position Updates | 188 |

| | | |
|-------|---|-----|
| 5.5.4 | Effects of Sensor Sampling Interval and Vibration | 189 |
| 5.5.5 | Design Tradeoffs | 195 |
| 5.6 | Initialization and Alignment | 195 |
| 5.6.1 | Position and Velocity Initialization | 196 |
| 5.6.2 | Attitude Initialization | 196 |
| 5.6.3 | Fine Alignment | 200 |
| 5.7 | INS Error Propagation | 203 |
| 5.7.1 | Short-Term Straight-Line Error Propagation | 204 |
| 5.7.2 | Medium- and Long-Term Error Propagation | 209 |
| 5.7.3 | Maneuver-Dependent Errors | 212 |
| 5.8 | Indexed IMU | 214 |
| 5.9 | Partial IMU | 215 |
| | References | 216 |

CHAPTER 6

| | | |
|-------|--|-----|
| | Dead Reckoning, Attitude, and Height Measurement | 217 |
| 6.1 | Attitude Measurement | 217 |
| 6.1.1 | Magnetic Heading | 218 |
| 6.1.2 | Marine Gyrocompass | 222 |
| 6.1.3 | Strapdown Yaw-Axis Gyro | 223 |
| 6.1.4 | Heading from Trajectory | 225 |
| 6.1.5 | Integrated Heading Determination | 226 |
| 6.1.6 | Accelerometer Leveling and Tilt Sensors | 226 |
| 6.1.7 | Horizon Sensing | 227 |
| 6.1.8 | Attitude and Heading Reference System | 228 |
| 6.2 | Height and Depth Measurement | 229 |
| 6.2.1 | Barometric Altimeter | 230 |
| 6.2.2 | Depth Pressure Sensor | 231 |
| 6.2.3 | Radar Altimeter | 232 |
| 6.3 | Odometry | 233 |
| 6.3.1 | Linear Odometry | 234 |
| 6.3.2 | Differential Odometry | 238 |
| 6.3.3 | Integrated Odometry and Partial IMU | 239 |
| 6.4 | Pedestrian Dead Reckoning Using Step Detection | 240 |
| 6.5 | Doppler Radar and Sonar | 245 |
| 6.6 | Other Dead-Reckoning Techniques | 249 |
| 6.6.1 | Correlation-Based Velocity Measurement | 249 |
| 6.6.2 | Air Data | 249 |
| 6.6.3 | Ship's Speed Log | 250 |
| | References | 250 |

CHAPTER 7

| | | |
|-------|--|-----|
| | Principles of Radio Positioning | 255 |
| 7.1 | Radio Positioning Configurations and Methods | 255 |
| 7.1.1 | Self-Positioning and Remote Positioning | 255 |
| 7.1.2 | Relative Positioning | 257 |

| | | |
|-------|--|-----|
| 7.1.3 | Proximity | 258 |
| 7.1.4 | Ranging | 260 |
| 7.1.5 | Angular Positioning | 269 |
| 7.1.6 | Pattern Matching | 271 |
| 7.1.7 | Doppler Positioning | 274 |
| 7.2 | Positioning Signals | 276 |
| 7.2.1 | Modulation Types | 276 |
| 7.2.2 | Radio Spectrum | 277 |
| 7.3 | User Equipment | 279 |
| 7.3.1 | Architecture | 279 |
| 7.3.2 | Signal Timing Measurement | 280 |
| 7.3.3 | Position Determination from Ranging | 282 |
| 7.4 | Propagation, Error Sources, and Positioning Accuracy | 287 |
| 7.4.1 | Ionosphere, Troposphere, and Surface Propagation Effects | 287 |
| 7.4.2 | Attenuation, Reflection, Multipath, and Diffraction | 288 |
| 7.4.3 | Resolution, Noise, and Tracking Errors | 290 |
| 7.4.4 | Transmitter Location and Timing Errors | 292 |
| 7.4.5 | Effect of Signal Geometry | 292 |
| | References | 297 |

CHAPTER 8

| | | |
|-------|---|-----|
| | GNSS: Fundamentals, Signals, and Satellites | 299 |
| 8.1 | Fundamentals of Satellite Navigation | 300 |
| 8.1.1 | GNSS Architecture | 300 |
| 8.1.2 | Signals and Range Measurement | 303 |
| 8.1.3 | Positioning | 307 |
| 8.1.4 | Error Sources and Performance Limitations | 309 |
| 8.2 | The Systems | 312 |
| 8.2.1 | Global Positioning System | 312 |
| 8.2.2 | GLONASS | 313 |
| 8.2.3 | Galileo | 313 |
| 8.2.4 | Beidou | 314 |
| 8.2.5 | Regional Systems | 314 |
| 8.2.6 | Augmentation Systems | 314 |
| 8.2.7 | System Compatibility | 316 |
| 8.3 | GNSS Signals | 317 |
| 8.3.1 | Signal Types | 318 |
| 8.3.2 | Global Positioning System | 320 |
| 8.3.3 | GLONASS | 323 |
| 8.3.4 | Galileo | 324 |
| 8.3.5 | Beidou | 326 |
| 8.3.6 | Regional Systems | 326 |
| 8.3.7 | Augmentation Systems | 327 |
| 8.4 | Navigation Data Messages | 327 |
| 8.4.1 | GPS | 327 |
| 8.4.2 | GLONASS | 328 |

| | | |
|-------|--------------------------------------|-----|
| 8.4.3 | Galileo | 329 |
| 8.4.4 | SBAS | 329 |
| 8.4.5 | Time Base Synchronization | 329 |
| 8.5 | Satellite Orbits and Geometry | 330 |
| 8.5.1 | Satellite Orbits | 330 |
| 8.5.2 | Satellite Position and Velocity | 332 |
| 8.5.3 | Range, Range Rate, and Line of Sight | 339 |
| 8.5.4 | Elevation and Azimuth | 344 |
| | References | 345 |

CHAPTER 9

| | | |
|-------|---|-----|
| | GNSS: User Equipment Processing and Errors | 349 |
| 9.1 | Receiver Hardware and Antenna | 350 |
| 9.1.1 | Antennas | 350 |
| 9.1.2 | Reference Oscillator | 351 |
| 9.1.3 | Receiver Front End | 352 |
| 9.1.4 | Baseband Signal Processor | 355 |
| 9.2 | Ranging Processor | 367 |
| 9.2.1 | Acquisition | 367 |
| 9.2.2 | Code Tracking | 372 |
| 9.2.3 | Carrier Tracking | 377 |
| 9.2.4 | Tracking Lock Detection | 384 |
| 9.2.5 | Navigation-Message Demodulation | 385 |
| 9.2.6 | Carrier-Power-to-Noise-Density Measurement | 386 |
| 9.2.7 | Pseudo-Range, Pseudo-Range-Rate, and Carrier-Phase Measurements | 387 |
| 9.3 | Range Error Sources | 389 |
| 9.3.1 | Ephemeris Prediction and Satellite Clock Errors | 390 |
| 9.3.2 | Ionosphere and Troposphere Propagation Errors | 391 |
| 9.3.3 | Tracking Errors | 395 |
| 9.3.4 | Multipath, Nonline-of-Sight, and Diffraction | 401 |
| 9.4 | Navigation Processor | 407 |
| 9.4.1 | Single-Epoch Navigation Solution | 409 |
| 9.4.2 | Filtered Navigation Solution | 413 |
| 9.4.3 | Signal Geometry and Navigation Solution Accuracy | 424 |
| 9.4.4 | Position Error Budget | 429 |
| | References | 431 |

CHAPTER 10

| | | |
|--------|---|-----|
| | GNSS: Advanced Techniques | 437 |
| 10.1 | Differential GNSS | 437 |
| 10.1.1 | Spatial and Temporal Correlation of GNSS Errors | 438 |
| 10.1.2 | Local and Regional Area DGNSS | 439 |
| 10.1.3 | Wide Area DGNSS and Precise Point Positioning | 440 |
| 10.1.4 | Relative GNSS | 441 |

| | | |
|--------|--|-----|
| 10.2 | Real-Time Kinematic Carrier-Phase Positioning and Attitude Determination | 442 |
| 10.2.1 | Principles of Accumulated Delta Range Positioning | 443 |
| 10.2.2 | Single-Epoch Navigation Solution Using Double-Differenced ADR | 446 |
| 10.2.3 | Geometry-Based Integer Ambiguity Resolution | 447 |
| 10.2.4 | Multifrequency Integer Ambiguity Resolution | 449 |
| 10.2.5 | GNSS Attitude Determination | 450 |
| 10.3 | Interference Rejection and Weak Signal Processing | 451 |
| 10.3.1 | Sources of Interference, Jamming, and Attenuation | 452 |
| 10.3.2 | Antenna Systems | 452 |
| 10.3.3 | Receiver Front-End Filtering | 453 |
| 10.3.4 | Extended Range Tracking | 454 |
| 10.3.5 | Receiver Sensitivity | 455 |
| 10.3.6 | Combined Acquisition and Tracking | 456 |
| 10.3.7 | Vector Tracking | 456 |
| 10.4 | Mitigation of Multipath Interference and Nonline-of-Sight Reception | 458 |
| 10.4.1 | Antenna-Based Techniques | 459 |
| 10.4.2 | Receiver-Based Techniques | 460 |
| 10.4.3 | Navigation-Processor-Based Techniques | 461 |
| 10.5 | Aiding, Assistance, and Orbit Prediction | 462 |
| 10.5.1 | Acquisition and Velocity Aiding | 463 |
| 10.5.2 | Assisted GNSS | 464 |
| 10.5.3 | Orbit Prediction | 465 |
| 10.6 | Shadow Matching | 465 |
| | References | 467 |

CHAPTER 11

| | | |
|--------|---|-----|
| | Long- and Medium-Range Radio Navigation | 473 |
| 11.1 | Aircraft Navigation Systems | 473 |
| 11.1.1 | Distance Measuring Equipment | 474 |
| 11.1.2 | Range-Bearing Systems | 479 |
| 11.1.3 | Nondirectional Beacons | 480 |
| 11.1.4 | JTIDS/MIDS Relative Navigation | 481 |
| 11.1.5 | Future Air Navigation Systems | 481 |
| 11.2 | Enhanced Loran | 481 |
| 11.2.1 | Signals | 482 |
| 11.2.2 | User Equipment and Positioning | 484 |
| 11.2.3 | Error Sources | 487 |
| 11.2.4 | Differential Loran | 488 |
| 11.3 | Phone Positioning | 488 |
| 11.3.1 | Proximity and Pattern Matching | 489 |
| 11.3.2 | Ranging | 490 |
| 11.4 | Other Systems | 491 |
| 11.4.1 | Iridium Positioning | 491 |

| | | |
|--------|------------------------------|-----|
| 11.4.2 | Marine Radio Beacons | 492 |
| 11.4.3 | AM Radio Broadcasts | 492 |
| 11.4.4 | FM Radio Broadcasts | 493 |
| 11.4.5 | Digital Television and Radio | 493 |
| 11.4.6 | Generic Radio Positioning | 494 |
| | References | 495 |

CHAPTER 12

| | | |
|--------|--------------------------------------|-----|
| | Short-Range Positioning | 499 |
| 12.1 | Pseudolites | 499 |
| 12.1.1 | In-Band Pseudolites | 500 |
| 12.1.2 | Locata and Terralite XPS | 500 |
| 12.1.3 | Indoor Messaging System | 501 |
| 12.2 | Ultrawideband | 501 |
| 12.2.1 | Modulation Schemes | 502 |
| 12.2.2 | Signal Timing | 503 |
| 12.2.3 | Positioning | 504 |
| 12.3 | Short-Range Communications Systems | 506 |
| 12.3.1 | Wireless Local Area Networks (Wi-Fi) | 506 |
| 12.3.2 | Wireless Personal Area Networks | 507 |
| 12.3.3 | Radio Frequency Identification | 508 |
| 12.3.4 | Bluetooth Low Energy | 508 |
| 12.3.5 | Dedicated Short-Range Communication | 509 |
| 12.4 | Underwater Acoustic Positioning | 509 |
| 12.5 | Other Positioning Technologies | 512 |
| 12.5.1 | Radio | 512 |
| 12.5.2 | Ultrasound | 512 |
| 12.5.3 | Infrared | 512 |
| 12.5.4 | Optical | 513 |
| 12.5.5 | Magnetic | 513 |
| | References | 513 |

CHAPTER 13

| | | |
|--------|--------------------------------|-----|
| | Environmental Feature Matching | 517 |
| 13.1 | Map Matching | 519 |
| 13.1.1 | Digital Road Maps | 520 |
| 13.1.2 | Road Link Identification | 521 |
| 13.1.3 | Road Positioning | 526 |
| 13.1.4 | Rail Map Matching | 527 |
| 13.1.5 | Pedestrian Map Matching | 528 |
| 13.2 | Terrain-Referenced Navigation | 530 |
| 13.2.1 | Sequential Processing | 531 |
| 13.2.2 | Batch Processing | 532 |
| 13.2.3 | Performance | 535 |
| 13.2.4 | Laser TRN | 535 |

| | | | |
|------|--------|---|-----|
| | 13.2.5 | Sonar TRN | 536 |
| | 13.2.6 | Barometric TRN | 537 |
| | 13.2.7 | Terrain Database Height Aiding | 537 |
| 13.3 | | Image-Based Navigation | 538 |
| | 13.3.1 | Imaging Sensors | 539 |
| | 13.3.2 | Image Feature Comparison | 541 |
| | 13.3.3 | Position Fixing Using Individual Features | 543 |
| | 13.3.4 | Position Fixing by Whole-Image Matching | 546 |
| | 13.3.5 | Visual Odometry | 546 |
| | 13.3.6 | Feature Tracking | 548 |
| | 13.3.7 | Stellar Navigation | 548 |
| 13.4 | | Other Feature-Matching Techniques | 550 |
| | 13.4.1 | Gravity Gradiometry | 551 |
| | 13.4.2 | Magnetic Field Variation | 552 |
| | 13.4.3 | Celestial X-Ray Sources | 552 |
| | | References | 552 |

CHAPTER 14

| | | | |
|------|--------|--|-----|
| | | INS/GNSS Integration | 559 |
| 14.1 | | Integration Architectures | 560 |
| | 14.1.1 | Correction of the Inertial Navigation Solution | 562 |
| | 14.1.2 | Loosely Coupled Integration | 566 |
| | 14.1.3 | Tightly Coupled Integration | 567 |
| | 14.1.4 | GNSS Aiding | 569 |
| | 14.1.5 | Deeply Coupled Integration | 571 |
| 14.2 | | System Model and State Selection | 573 |
| | 14.2.1 | State Selection and Observability | 574 |
| | 14.2.2 | INS State Propagation in an Inertial Frame | 577 |
| | 14.2.3 | INS State Propagation in an Earth Frame | 582 |
| | 14.2.4 | INS State Propagation Resolved in a Local Navigation Frame | 584 |
| | 14.2.5 | Additional IMU Error States | 589 |
| | 14.2.6 | INS System Noise | 590 |
| | 14.2.7 | GNSS State Propagation and System Noise | 593 |
| | 14.2.8 | State Initialization | 594 |
| 14.3 | | Measurement Models | 596 |
| | 14.3.1 | Loosely Coupled Integration | 598 |
| | 14.3.2 | Tightly Coupled Integration | 602 |
| | 14.3.3 | Deeply Coupled Integration | 606 |
| | 14.3.4 | Estimation of Attitude and Instrument Errors | 614 |
| 14.4 | | Advanced INS/GNSS Integration | 615 |
| | 14.4.1 | Differential GNSS | 615 |
| | 14.4.2 | Carrier-Phase Positioning | 616 |
| | 14.4.3 | GNSS Attitude | 618 |
| | 14.4.4 | Large Heading Errors | 619 |

| | | |
|--------|-----------------------------|-----|
| 14.4.5 | Advanced IMU Error Modeling | 621 |
| 14.4.6 | Smoothing | 622 |
| | References | 622 |

CHAPTER 15

| | | |
|--------|---|-----|
| | INS Alignment, Zero Updates, and Motion Constraints | 627 |
| 15.1 | Transfer Alignment | 627 |
| 15.1.1 | Conventional Measurement Matching | 629 |
| 15.1.2 | Rapid Transfer Alignment | 631 |
| 15.1.3 | Reference Navigation System | 633 |
| 15.2 | Quasi-Stationary Alignment | 634 |
| 15.2.1 | Coarse Alignment | 634 |
| 15.2.2 | Fine Alignment | 637 |
| 15.3 | Zero Updates | 638 |
| 15.3.1 | Stationary-Condition Detection | 638 |
| 15.3.2 | Zero Velocity Update | 639 |
| 15.3.3 | Zero Angular Rate Update | 640 |
| 15.4 | Motion Constraints | 641 |
| 15.4.1 | Land Vehicle Constraints | 641 |
| 15.4.2 | Pedestrian Constraints | 643 |
| 15.4.3 | Ship and Boat Constraint | 644 |
| | References | 644 |

CHAPTER 16

| | | |
|---------|---|-----|
| | Multisensor Integrated Navigation | 647 |
| 16.1 | Integration Architectures | 647 |
| 16.1.1 | Cascaded Single-Epoch Integration | 648 |
| 16.1.2 | Centralized Single-Epoch Integration | 651 |
| 16.1.3 | Cascaded Filtered Integration | 652 |
| 16.1.4 | Centralized Filtered Integration | 654 |
| 16.1.5 | Federated Filtered Integration | 655 |
| 16.1.6 | Hybrid Integration Architectures | 658 |
| 16.1.7 | Total-State Kalman Filter Employing Prediction | 659 |
| 16.1.8 | Error-State Kalman Filter | 661 |
| 16.1.9 | Primary and Reversionary Moding | 663 |
| 16.1.10 | Context-Adaptive Moding | 665 |
| 16.2 | Dead Reckoning, Attitude, and Height Measurement | 666 |
| 16.2.1 | Attitude | 667 |
| 16.2.2 | Height and Depth | 673 |
| 16.2.3 | Odometry | 674 |
| 16.2.4 | Pedestrian Dead Reckoning Using Step Detection | 677 |
| 16.2.5 | Doppler Radar and Sonar | 680 |
| 16.2.6 | Visual Odometry and Terrain-Referenced Dead Reckoning | 682 |
| 16.3 | Position-Fixing Measurements | 682 |
| 16.3.1 | Position Measurement Integration | 683 |
| 16.3.2 | Ranging Measurement Integration | 685 |

| | | |
|--------|-----------------------------------|-----|
| 16.3.3 | Angular Measurement Integration | 690 |
| 16.3.4 | Line Fix Integration | 694 |
| 16.3.5 | Handling Ambiguous Measurements | 695 |
| 16.3.6 | Feature Tracking and Mapping | 697 |
| 16.3.7 | Aiding of Position-Fixing Systems | 698 |
| | References | 699 |

CHAPTER 17

| | | |
|--------|---|------------|
| | Fault Detection, Integrity Monitoring, and Testing | 701 |
| 17.1 | Failure Modes | 702 |
| 17.1.1 | Inertial Navigation | 702 |
| 17.1.2 | Dead Reckoning, Attitude, and Height Measurement | 702 |
| 17.1.3 | GNSS | 703 |
| 17.1.4 | Terrestrial Radio Navigation | 703 |
| 17.1.5 | Environmental Feature Matching and Tracking | 704 |
| 17.1.6 | Integration Algorithm | 704 |
| 17.1.7 | Context | 705 |
| 17.2 | Range Checks | 705 |
| 17.2.1 | Sensor Outputs | 705 |
| 17.2.2 | Navigation Solution | 706 |
| 17.2.3 | Kalman Filter Estimates | 706 |
| 17.3 | Kalman Filter Measurement Innovations | 706 |
| 17.3.1 | Innovation Filtering | 707 |
| 17.3.2 | Innovation Sequence Monitoring | 709 |
| 17.3.3 | Remedying Biased State Estimates | 711 |
| 17.4 | Direct Consistency Checks | 712 |
| 17.4.1 | Measurement Consistency Checks and RAIM | 713 |
| 17.4.2 | Parallel Solutions | 715 |
| 17.5 | Infrastructure-Based Integrity Monitoring | 719 |
| 17.6 | Solution Protection and Performance Requirements | 720 |
| 17.7 | Testing | 724 |
| 17.7.1 | Field Trials | 724 |
| 17.7.2 | Recorded Data Testing | 725 |
| 17.7.3 | Laboratory Testing | 725 |
| 17.7.4 | Software Simulation | 725 |
| | References | 726 |

CHAPTER 18

| | | |
|------|---------------------------------------|------------|
| | Applications and Future Trends | 729 |
| 18.1 | Design and Development | 729 |
| 18.2 | Aviation | 731 |
| 18.3 | Guided Weapons and Small UAVs | 733 |
| 18.4 | Land Vehicle Applications | 733 |
| 18.5 | Rail Navigation | 734 |
| 18.6 | Marine Navigation | 735 |
| 18.7 | Underwater Navigation | 737 |

| | | |
|-------|----------------------------|-----|
| 18.8 | Spacecraft Navigation | 737 |
| 18.9 | Pedestrian Navigation | 738 |
| 18.10 | Other Applications | 739 |
| 18.11 | Future Trends | 740 |
| | References | 741 |
| | List of Symbols | 743 |
| | Acronyms and Abbreviations | 751 |
| | About the Author | 757 |
| | CD Contents | 759 |

CD Contents

Appendix A. Vectors and Matrices

| | | |
|-----|--|------|
| A.1 | Introduction to Vectors | A-1 |
| A.2 | Introduction to Matrices | A-3 |
| A.3 | Special Matrix Types | A-5 |
| A.4 | Matrix Inversion | A-6 |
| A.5 | Calculus | A-7 |
| A.6 | Eigenvalues, Eigenvectors and Matrix Factorization | A-7 |
| | References | A-10 |

Appendix B. Statistical Measures, Probability, and Random Processes

| | | |
|-----|------------------------------|------|
| B.1 | Statistical Measures of Data | B-1 |
| B.2 | Probability | B-2 |
| B.3 | Standard Distributions | B-11 |
| B.4 | Random Processes | B-15 |
| B.5 | Hypothesis Testing | B-20 |
| | References | B-24 |

Appendix C. Position Representations, Transformations, and Conversions

| | | |
|-----|--|-----|
| C.1 | Datums | C-1 |
| C.2 | Cartesian to Curvilinear Coordinate Conversion Methods | C-2 |
| C.3 | Normal Vector | C-5 |
| C.4 | Transverse Mercator Projection | C-7 |
| | References | C-9 |

Appendix D. Additional Topics on State Estimation

| | | |
|-----|---------------------------|-----|
| D.1 | Least-Squares Estimation | D-1 |
| D.2 | Schmidt-Kalman Filter | D-3 |
| D.3 | Particle Filtering Topics | D-4 |
| | References | D-7 |

Appendix E. Additional Topics on Inertial Sensors and Inertial Navigation

| | | |
|------|--|------|
| E.1 | New Inertial Sensor Technology | E-1 |
| E.2 | Spinning-Mass Gyroscopes | E-3 |
| E.3 | All-Accelerometer IMUs | E-6 |
| E.4 | History of Inertial Navigation | E-7 |
| E.5 | Platform INS | E-7 |
| E.6 | Quaternion Navigation Equations Implementation | E-8 |
| E.7 | Local Tangent-Plane Frame Navigation Equations | E-14 |
| E.8 | Navigation Equations Iteration Rate Issues | E-15 |
| E.9 | Effects of Timing Errors | E-16 |
| E.10 | Pseudo-measurement Generation using Motion Constraints | E-16 |
| | References | E-18 |

Appendix F. Additional Topics on Radio Positioning

| | | |
|-----|--|-----|
| F.1 | Angular Positioning using Iterated Least Squares | F-1 |
| F.2 | Radio Determination Satellite Service | F-3 |
| F.3 | Landing Guidance Systems | F-4 |
| F.4 | Radio Tracking Systems | F-5 |
| F.5 | Phone Positioning Terminology | F-7 |
| F.6 | Digital Television and Radio Broadcasts | F-8 |
| | References | F-9 |

Appendix G. Additional Topics on GNSS

| | | |
|------|--|------|
| G.1 | GNSS Space and Control Segments | G-2 |
| G.2 | GNSS Development History | G-5 |
| G.3 | GNSS Signal Design Notes | G-8 |
| G.4 | Satellite Position, Velocity, and Acceleration | G-11 |
| G.5 | Relativistic Frequency Shift | G-14 |
| G.6 | Receiver and Ranging Processor Design Notes | G-14 |
| G.7 | Range Error Corrections | G-19 |
| G.8 | Navigation Processor | G-23 |
| G.9 | Integer Wavelength Ambiguity Resolution | G-29 |
| G.10 | Vector Tracking and Acquisition | G-35 |
| G.11 | Multipath and NLOS Mitigation | G-36 |
| G.12 | Positioning using Ambiguous Pseudo-ranges | G-37 |
| G.13 | GNSS Repeaters | G-37 |
| | References | G-37 |

Appendix H. Additional Topics on Environmental Feature Matching

| | | |
|-----|------------------------------------|-----|
| H.1 | Continuous Visual Navigation | H-1 |
| H.2 | Alternative Environmental Features | H-2 |
| | References | H-3 |

Appendix I. Additional Topics on Integration and Alignment

| | | |
|-----|---|------|
| I.1 | Higher-Order INS State Transition Matrices | I-2 |
| I.2 | Local-Navigation-Frame Cartesian Position Error | I-4 |
| I.3 | Wander-Azimuth Implementation | I-9 |
| I.4 | Local Tangent-Plane Implementation | I-16 |
| I.5 | Body-Frame-Resolved Attitude Error | I-18 |
| I.6 | Estimation of the Time Synchronization Error | I-26 |
| I.7 | Integer Wavelength Ambiguity Resolution | I-32 |
| I.8 | Dead Reckoning, Attitude, and Height | I-35 |
| I.9 | Terrestrial Radio Navigation and Environmental Feature Matching | I-39 |
| | References | I-42 |

Appendix J. Simulation

| | | |
|-----|--------------------------------------|------|
| J.1 | Reasons for Simulation | J-1 |
| J.2 | Simulation Architecture and Fidelity | J-2 |
| J.3 | Truth Model | J-6 |
| J.4 | Error Generation | J-9 |
| J.5 | Monte Carlo Simulation | J-12 |
| | References | J-12 |

Appendix K. Historical Navigation Systems

| | | |
|-----|--|------|
| K.1 | From Navigation Aids to Navigation Systems | K-2 |
| K.2 | Very Low Frequency Navigation | K-3 |
| K.3 | Decca Navigator System | K-5 |
| K.4 | Loran | K-7 |
| K.5 | Transit and Tsikada | K-9 |
| K.6 | Other Radio Navigation Systems | K-11 |
| K.7 | Celestial Navigation, Dead Reckoning, and Attitude Determination | K-14 |
| | References | K-16 |

Problems and Exercises

Full List of Symbols

Full List of Acronyms and Abbreviations

Guide to MATLAB Simulation Software

Guide for First Edition Readers

Example 2.1: Attitude Conversion

Example 2.2: Cartesian and Curvilinear Position Conversion

Example 2.3: Calculation of Gravity

Example 2.4: Transformations between ECEF and ECI Frames

Example 2.5: Transformations between ECEF and Local Navigation Frames

Example 2.6: Transformations between ECI and Local Navigation Frames

Example 3.1: Kalman filter estimating single-axis position and velocity

Example 3.2: Kalman filter estimating 2D position

Example 4.1: Accelerometer Error

Example 5.1: Inertial Navigation in Two Dimensions

Example 5.2: ECI-Frame Inertial Navigation Update Cycle

Example 5.3: Leveling and Direct Gyrocompassing

Example 5.4: Short-term INS Error Growth

Example 6.1: Magnetic Heading

Example 6.2: Rear-wheel Odometry

Example 7.1: Exact Positioning from Ranging in Two Dimensions

Example 7.2: Least-squares Positioning from Ranging in Two Dimensions

Example 8.1: Calculation of Range, Line of sight, Range-rate, and Elevation

Example 9.1: Least-squares Positioning from GNSS Pseudo-range Measurements

Example 9.2: Dilution of Precision Calculations